




Handout 6: Advanced concepts in NMR

1. Determine if each of the sets of protons listed below are chemically equivalent and/or magnetically equivalent. Fill in each blank with “yes” or “no.”



- Are protons B and C chemically equivalent? _____
 Are protons A and B chemically equivalent? _____
 Are protons B and C magnetically equivalent? _____
 Are protons A and B magnetically equivalent? _____
 Are protons E and G chemically equivalent? _____
 Are protons F and H chemically equivalent? _____
 Are protons E and G magnetically equivalent? _____
 Are protons F and H magnetically equivalent? _____



2. When Sample A (below) is run on a 100 MHz NMR, the proton spectrum is second order, but when it is run on a 500 MHz instrument, the spectrum is first order. Explain this difference, using the necessary calculations.





$$\begin{aligned} \text{shift of } H_A &= 6.573 \\ \text{shift of } H_B &= 5.992 \end{aligned}$$

$$J_{AB} = 18\text{Hz}$$

3. Magnet strength greatly affects the appearance of a spectrum. Below are spectra of o-nitro aniline taken on a 90 MHz spectrometer and a 400 MHz spectrometer. Which is which, and what is different between them? (Chemical shifts? Coupling constants?)





4. Given the COSY spectrum and the assignments of H₁ and H₁₁ of this compound, assign the remaining ¹H aromatic signals.




5. Label the proton and carbon-13 NMR with the appropriate letters based on the structure below. Label all of the COSY correlations (all that are not on the diagonal) directly on the spectrum, and indicate which protons they refer to. Note – this spectrum was obtained in CDCl₃, which is a solvent where acidic protons are visible, and coupling with acidic protons is also visible.

Carbon letters:


Proton letters:




¹H NMR data:



¹³C NMR Data:




5. cont.
COSY Data



6. Given the ^1H , ^{13}C DEPT, and COSY data provided on the following pages, determine the structure of the following compound which has the molecular formula $\text{C}_{10}\text{H}_{10}\text{O}_2$. Label all COSY correlations directly on the spectrum, and indicate which protons they refer to.




^1H NMR data:




^{13}C NMR data:

| δ ppm | DEPT 135 | DEPT 90 |
|--------------|-----------|-----------|
| 193.7 | + | + |
| 162.2 | no signal | no signal |
| 152.8 | + | + |
| 130.4 | + | + |
| 126.8 | no signal | no signal |
| 126.4 | + | + |
| 114.6 | + | + |
| 55.4 | + | no signal |

6. COSY Data:




7. Given the ^1H and HETCOR data provided on the following pages, determine the structure of a compound which has the formula $\text{C}_6\text{H}_{12}\text{O}_2$. (Note: The proton NMR has an additional broad peak at about 12 ppm, and the C-13 NMR has an additional peak at 170ppm.) Comment on the carbon peaks appearing at 29 and 41 ppm in the HETCOR spectrum. Assign all protons and carbons for this compound.



7 cont.

HETCOR



7 cont.

